

IPP10.4R

10.4" panel PC 1.91GHz EN50155 Certificeret. 4GB  
RAM, 64GB SSD

## FEATURES

10.4" TFT-LCD  
resolution 1024x768  
Touch  
24V DC  
IP65 Front  
USB  
RS232



## SPECIFICATIONS

|                  |   |                                                                                                                                    |
|------------------|---|------------------------------------------------------------------------------------------------------------------------------------|
| CPU              | : | Intel® Atom™ E3845 (Quad-Core @ 1.91 GHz)                                                                                          |
| Storage          | : | 1x 2.5" SATA II HDD space easily (without)                                                                                         |
| USB              | : | 1x USB 3.0 flag type, blue color 1x USB 2.0 type A flag type                                                                       |
| Driftstemperatur | : | -20°C~ 55°C (EN50155-T1)                                                                                                           |
| Approval         | : | CE/FCC Class B EN50155: 2007                                                                                                       |
| Ethernet         | : | 2x Gigabit LAN (RJ45)                                                                                                              |
| Forsyning        | : | 24V DC input (EN50155 S2/C2) Option: 48V DC, 72V DC & 110V DC                                                                      |
| IP-Tæthed        | : | IP65 for front bezel / Others with IP40, not including I/O cover/ IP54 for all with I/O cover                                      |
| Lyd              | : | non                                                                                                                                |
| OS SUPPORT       | : | Windows 8 32/64bit, Windows 7 Pro for Embedded 64bit, WES7 64bit                                                                   |
| Porte            | : | 1x D-SUB9 RS-232/422/485 COM1                                                                                                      |
| Skærm            | : | 10.4" TFT-LCD, Max. Resolution 1024 x 768 Max. Color 16.2M Luminance (cd/m2) 500 cd/m2 View Angle (H/V) 176° /176° Contrast 1000:1 |



**DANBIT**

IPP10.4R

## SPECIFICATIONS

|             |   |                          |
|-------------|---|--------------------------|
| Udgange     | : | 1x DP port               |
| Dimensioner | : | 275mm x 238.5mm x 78.5mm |



Danbit A/S Værkstedvej 39 Køge, 4600 Denmark



+45 56662020



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.