

2 Ports ethernet PCI express server adapter med PoE+

FEATURES

- 2-Port 10/100/1000T 802.3at PCI express PoE+ (60W)
- Intel I350AM2 Controller
- 2 x RJ45
- Dimensioner: 169 x 121 x 19 mm
- vægt 161 g
- Driftstemperatur: -10 ~ 60 C



SPECIFICATIONS

Driftstemperatur	:	-10 ~ 60 degrees C
Controller	:	Intel I350AM2
Data	:	10/100/1000Mbps
Forsyning	:	PCIe power supply 3.3V±9% / 12V±8%
Interface	:	2 x RJ45
LED	:	1000Mbps: LINK: Yellow, ACT: Green 10Mbps/100Mbps: ACT: Green
OS SUPPORT	:	Windows Server 2008R2 64bits Windows Server 2012 64bits Windows Server 2016 64bits Windows 7 32/64bits Windows 8 32/64bits Windows 10 32/64bits Linux 2.6.x, Linux 4.x VMware® 6.0
PCI	:	PCI Express v2.0 (2.5GT/s) x4
PoE	:	30 Watt Per port
Standarder	:	IEEE 802.3 10BASE-T Ethernet IEEE 802.3u 100BASE-TX Fast Ethernet IEEE 802.3ab 1000BASE-T Gigabit Ethernet IEEE 802.1Q VLANs IEEE802.3x Flow Control IEEE802.3af Power over Ethernet IEEE802.3at Power over Ethernet Plus
Vægt	:	161g
Dimensioner	:	169 x 121 x 19 mm



**DANBIT**

ETH-PCIE-2POE

SPECIFICATIONS



Danbit A/S Værkstedsvvej 39 Køge, 4600 Denmark



+45 56662020



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.