

EN50155 certificeret Intel® Atom™ Processor E3845 12.1" til Railroad Touch Panel

FEATURES

EN50155 certificering

Optisk bonding

projected Touch

Frontramme IP65 og fuld IP54 beskyttelse

Movable og programmerbar folietastatur

24V DC strømindgang med M12-stik, 48V DC, 72V

DC eller 110V DC som optioner

To M12 LAN-porte og en M12 USB-port

Yderligere rackmonteringsæt



SPECIFICATIONS

CPU	:	Intel Atom E3845 Quad-Core 1.91GHz
Storage	:	1x 2.5" SATA
USB	:	1x USB3.0 2x USB2.0 (Type A + M12)
Driftstemperatur	:	-30°C~70°C
Approval	:	CE/FCC Class B EN50155-T1
Betragningsvinkel	:	170/170
Chok/Vibration	:	IEC61373
Ethernet	:	2x 10/100 LAN with M12 connector
Forsyning	:	4-pin M12 connector 24V DC (default) power input, Optional 48V DC, 72V DC & 110V DC
Hukommelse	:	2x DDR3L SO-DIMM, up to 8GB, default DDR3L 4GB(4GBx1)
IP-Tæthed	:	IP65 front bezel/ IP54 for whole unit with I/O cover
Luftfugtighed	:	10%~90% (non-condensing)



SPECIFICATIONS

Montering	:	Panel, Wall mount and VESA 75x75 mm
mPCIe	:	2x Mini-PCIE til enten Wi-Fi eller SSD
Msata	:	1 x mSATA
OS SUPPORT	:	Windows 8 32/64 bit, Windows 7 Pro for Embedded 64 bit, WES7 64 bit
Porte	:	1x RS232/422/485
Skærm	:	12.1" TFT-LCD
Temperatur	:	-25°C~ 55°C
Touch	:	Projected capacitive 2 point
Vægt	:	3.6Kg
Dimensioner	:	335mm(W) x 267mm(D) x 72.1mm(H) 13.18"(W) x 10.51"(D) x 2.83"(H)

