

10.1" Panel PC full IP66/IP69K celeron 2930 4GB RAM, 32GB MLC SSD

FEATURES

10,1" Rustfrit Stål Panel PC
350 cd/m²
Intel Celeron N2930 1,83 GHz Onboard Processor
8GB Onboard DDR3L SDRAM max. 8GB alt
Flat frontrammen Design
klasse 304 rustfrit stål kabinet (Grade 316 er
Option)
IP66 / IP69K Vurderet med M12 stik
Support resistive touch, forventede capacitive
touch, og Glass Touch
on / off knap på siden Edge til hygiejnisk rengøring
Support Ergonomisk Alsidig Montering: Yoke
Montering / Pladsbesparende VESA 75 x 75 mm
Montering
OPTION HIGH BRIGHTNESS 1000cd/m²



SPECIFICATIONS

CPU	:	Celeron N2930 2M cache, 1.83GHz
Storage	:	1x 2.5" SATA3 HDD/SSD
USB	:	1 x M12 8 pin USB 2.0 waterproff cover and chain
Driftstemperatur	:	0~50oC
Antal farver	:	16.7M
Approval	:	CE/FCC class A
Ethernet	:	1 x M12 8 pin for LAN with waterproff cover and chain
Forsyning	:	9~36Vdc , power consupion 18Watt
Hukommelse	:	Onboards 4GB DDR3L SDRAM, Max 8GB(option)
LCD	:	10.1"TFT 1280x800
Materiale	:	304 Steel chassis. (option 316 steel)
Montering	:	VESA mount 75x75, Option Yoke Mount



SPECIFICATIONS

OS SUPPORT	:	Windows embedded 7, 8.1 and windows 10 IoT ENT LTSB
Porte	:	1 x M12 8 pin COM1, RS232/422/485 default RS232 with waterproff cover and Chain
RFID	:	Optional on front
Synsfelt	:	170(H)x170(V)
Touch	:	Resistive Touch USB, light transmission 80%. Option GLASS and Projected touch
Dimensioner	:	300x220x53mm

