

Fanless Mini PC til firewall, VPN eller andre
netværksopgaver, 6xRJ45, Option: SIM

FEATURES

- Fanless System
- Kontinuerlig drift
- Celeron 3860U, Option: I3, I7
- 6x Intel I201/I211 Gigabit RJ45 Porte
- 2x RS232 COM Porte
- 1x MSATA SSD + 1x 2.5" SSD/HDD
- Option: 1x SIM slot, 3G/4G/WiFi
- Anvendt i Firewall, Network Server, Network Security, VPN Router osv.
- Fuld aluminiumslegering
- Slank Design 209x150x57mm.
- Support WatchDog, Awal, RTC, WOL, PXE, Nulstil funktioner.
- OS Support: Windows® 7/8/10, PFSENSE, WES 7/10, LINUX



SPECIFICATIONS

CPU	:	Celeron 3865U Option: i3, i7
Video	:	1 x HDMI
USB	:	4 x USB3.0
Driftstemperatur	:	-20C° to +60C°
Forsyning	:	12V DC
Hukommelse	:	1 x SO-DIMM DDR4 Slot Support 4GB/8GB/16GB/32GB DDR4-2133, 2400, 2666
mPCIe	:	1 x mini PCIe-full/mini PCIe-half port for 3G/4G/Wi-Fi module(USB WIFI protocol)
Msata	:	1 x M-SATA3.0 slot for MSATA SSD, support 6Gb/s
Netværk	:	6x Intel(R) i210/i211-AT
OS SUPPORT	:	Pfsense, Windows®10, WES 10, LINUX etc
Porte	:	1 x DB9 RS232 COM, 1 x RJ45 RS232 COM
SATA	:	1 x SATA3.0 slot for SATA HDD or SSD, support 6Gb/s



**DANBIT**

EPC-3865U-6ETH

SPECIFICATIONS



Danbit A/S Værkstedvej 39 Køge, 4600 Denmark



+45 56662020



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.