

Udendørs vandalsikker 5MP IP domekamera med video analyser, POE, IP66

FEATURES

- Tampering Alarm, Object Counting, Intrusion Detection, Alarm Detection
- Avanceret bevægelsesdetektion (5 områder)
- 5mp/3mp @ 30 FPS, 2MP @ 60FPS
- Opløsning: 2592 x 1944
- IR afstand op til 35m
- IP66 Vejrbestandig
- 20°C til 55°C
- PoE 8.3W Max.
- Micro SDHC op til 64 GB
- ONVIF

H.265,P-Iris 2.7-12mm
Motorized lens, 35M
(141ft) IR,ultra low light



SPECIFICATIONS

Video	:	2592x1944@30FPS/2048x1536@30FPS
Driftstemperatur	:	-20°C to 55°C
Andet	:	(Line) Object Counting , Line Intrusion , Zone Object-Counting, Zone Intrusion
Focus (mm)	:	2.7-12mm, F1.6
Funktioner	:	File upload via FTP, HTTP, Network Storage and email Notification via email, HTTP, TCP Video recording to SD card, FTP Alarm output port
Hukommelse	:	Micro SDHC support up to 64GB (not included)
IP-Tæthed	:	IP66
Lysstyrke	:	IR Up to 35M(114ft), 850nm Wavelength
Opløsning	:	2592(H)x1944 (V)
Porte	:	RJ-45, Alarm IN, Alarm OUT, 3,5mm jack audio OUT, 3,5mm jack audio IN
Strømforsyning	:	PoE (IEEE802.3af); 8.3W max.
Vidvinkel	:	27°-90° (H)/20°-66° (V)/35°-104° (D)



**DANBIT**

KAM-U-DOM5MP-COUNT

SPECIFICATIONS

Dimensioner : 141 x 103.5 mm

Certifications : CE/FCC Class A



Danbit A/S Værkstedvej 39 Køge, 4600 Denmark



+45 56662020



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.