

MON15-OPEN-500NITS

15" industriel frame monitor 500Nits LED back light 12VDC, -20°C~ 70°C opløsning 1024x768, 4:3 format FEATURES

- 15 "TFT
- VGA, DVI-D, HDMI
- høj lysstyrke 500 nits
- LED Baggrundsbelysning
- Lavt strømforbrug
- Bred driftstemperatur -20°C~ 70°C
- BL MTBF: 30.000 timer
- 326.50X253.50X9.8 mm
- 12VDC, 9.6Watt



SPECIFICATIONS

Driftstemperatur	:	-20°C~70°C
Antal farver	:	16.2M
Betragningsvinkel	:	176°(H),176°(V)
Effekt	:	9.6W
Forsyning	:	12VDC
Grafik	:	VGA, DVI-D, HDMI
Interface	:	LVDS
Kontrast	:	2400:1
LCD	:	15" TFT LCD IED Backlight 500 Nits
Opløsning	:	1024x768
OSD	:	4 keys, Brightness, color, contrast, autotuning, H/V position ect
Pixels	:	0.297(H) x 0.297(V) (PPI) 85



**DANBIT**

MON15-OPEN-500NITS

SPECIFICATIONS

Vægt	:	1.1Kg
Dimensioner	:	326.50x253.50x9.8



Danbit A/S Værkstedvej 39 Køge, 4600 Denmark



+45 56662020



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.