


12.1" TFT display 360 Grader IP66 tæt, VGA, HDMI, 304 Stål kabinet option med 1000 nits til sollys FEATURES

12,1 "Rustfrit stål display
Standard 450/500 nits Mulighed: 1000nits
Option: filter til UV Beskyttelse mod sollys
platt framsida Design og Grade 304 Rustfrit Stål
Kabinet
(Grade 316 for Mulighed)
IP66 / IP69K bedømt med M12 Connectors
Mulighed! Resistiv Touch, Projiceret Kapacitiv
Touch og Glass
Tryk på Interface USB
Tryk på ON / OFF-knappen på sidekanten for
hygiejnisk rengøring
VESA MOUNT 75X75, OPTION: Åbent Mount
0 ~ 50 ° C / -20 ~ 60 ° C (ekstraudstyr)
Strømindgang 9 ~ 36VDC (1xM12 3-polet stik) 8W /
12W (High Nits Display)
Størrelse 335x365x53mm



SPECIFICATIONS

Driftstemperatur	:	0~50°C / -20~60°C (option)
Antal farver	:	from standard 262k/16.2M
Approval	:	CE/FCC class A
Betragtningsvinkel	:	depends of display! 178(H)x178(H), 160(H)x140(V)
Effekt	:	Depens on TFT selection max 12W
Forsyning	:	9~36VDC
Grafik	:	VGA, HDMI
IP-Tæthed	:	IP66/ip68K
LCD	:	12.1" 800x600
Lyd	:	1x2W IP65 speaker (option)
Materiale	:	304 Stainless Stell (optional 316 steel)
Opløsning	:	Standard 800x600 Option! 1024x768



SPECIFICATIONS

Tilslutning	:	M12 for Power
Touch	:	USB, Select between Resistive, Projected, Glass
VESA standard	:	VESA 75x75
Nits	:	450 / 500 /1000nits needs to be ordered!
Vægt	:	4.6Kg
Dimensioner	:	335x265x53mm

