

Embedded PC, Celeron J6412, DIN-rail, 3x LAN, 2x COM, 6x USB

FEATURES

- Intel Celeron J6412 Quad Core 2,0 GHz
- 1x DDR4L 3200MHz Max op til 32GB
- 3x GbE LAN Intel® 225-V
- 2x RS-232/422/485
- 1x M.2 SATA, 1x 2,5" SATA
- 1 x DP, 1 x HDMI
- WiFi/Bluetooth/4G/5G (tilføjelse)
- DC-indgang 9V~36V
- Arbejdstemperatur -20°C ~70°C
- Windows 10/11, Linux



SPECIFICATIONS

CPU	:	Intel® Elkhart Lake Celeron J6412 2.0GHz , TDP 10W
Video	:	1 x DP / 1 x HDMI
USB	:	2 x USB2.0 / 4 x USB3.0
Serial	:	2 x RS-232 / 422 / 485
LAN	:	3x GbE supporting Wake-on-LAN and PXE
Driftstemperatur	:	-20~70°C (-4~158°F)
DIO	:	DIO 8 Bits (4 In / 4 Out) Optional
Forsyning	:	Power Input 9~36VDC
OS SUPPORT	:	Windows 10 / 11 Linux, Ubuntu
SSD	:	1 x M.2 SATA / 1 x 2.5" SATA
TPM	:	TPM 2.0
RAM	:	DDR4L MAX 32GB



**DANBIT****EPC-CEL-3G2S1DP1H**

SPECIFICATIONS

Vægt	:	1.5 Kg
Dimensioner	:	185 x 145 x 57 mm
Certification	:	CE, FCC□ROHS



Danbit A/S Værkstedvej 39 Køge, 4600 Denmark



+45 56662020



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.