

Embedded PC EN-50155 certificeret til jernbanebrug,
Xeon, i3,i5,i7 CPU syppoort, 6xEthernet, 4x USB, VGA,
DVI-D

FEATURES

- CPU-understøttelse gen.6/7 Intel® Xeon® E3/ 6. og 7. generation Core™ i7/ i5/ i3-processor i LGA1151-sokkel
- Vifteløst design
- 4 x 802.3af Gigabit PoE-porte med M12-stik
- Support RTC batteri service vindue
- 2 x mPCIe-slots til valgfri Wi-Fi/ BT/ 3G/ 4G/ GPS-moduler
- 1 x M.2 (NGFF) M-Key(2242) fatning til lagermodul
- 1 x SIM-kortstik
- Dimensioner (B x D x H) 225 x 292 x 90 mm
- Bredt temperaturområde fra -40°C til 70°C
- DC-strømindgang (9~36V)
- EN-50155 certificeret



SPECIFICATIONS

CPU	:	i3; i5; i7; Xeon
Chipset	:	Intel® C236
USB	:	4
Approval	:	EN-50155 certified.
Chok/Vibration	:	IEC61373; IEC61373
DVI	:	1
Ethernet	:	6
HDMI	:	0
Luftfugtighed	:	10 ~ 95%
mPCIe	:	1
OS SUPPORT	:	Windows 10 IoT; Windows 7; Windows 8.1; Linux
SATA	:	3



EPT-IX-EN-50155

SPECIFICATIONS

VGA	:	1
Dimensioner	:	225 x 292 x 90 mm

