

IPP18.5IX-IP68

18.5 "Panel PC for Marine Use. IP68 All Pages, Wide
Screen with Touch, High Brightness 1000nits for
Sunlight

FEATURES

Barbone
18.5 "wide LCD, 1366 x 768, 1000nits
Fanless design
3rd Gen. I3 / I5 / I7 Intel® mobile processor
support
Resistive touch screen
4 USB < br> 2 LAN
IP68
Wide range DC 15 ~ 35V input



SPECIFICATIONS

CPU	:	3rd Gen. Intel® mobile processor i3/i5/i7 NOT INCLUDED !
Chipset	:	Intel® QM77 PCH
USB	:	4 x USB 2.0
Operating Temp.	:	0°C ~ 50°C
Farve	:	Black standard, on request other colors
Ethernet	:	2 x Gigabit (1 x Intel® 82579LM, 1 x Intel® 82574L)
Forsyning	:	DC 15 ~ 35V input, 3 pin IP68 protection connector
Hukommelse	:	2 x 204-pin DDR3 1066/1333MHz SDRAM; max. up to 16GB
IP-Tæthed	:	IP68 all sides
LCD	:	Display Type Wide 18.5" WXGA TFT LCD Resolution 1366 x 768 pixel Luminance/Brightness 1000 cd/m2 Color 16.2M colors Pixel Pitch (H/V) 0.3mm x 0.3mm Constrast Ratio 1000 : 1 (typ.) Viewing Angle (H/V) 170o/160o (typ.)
Luftfugtighed	:	0% ~ 90%
Lyd	:	NO



SPECIFICATIONS

Porte	:	NO
Touch	:	5-wire resistive touch screen
Udvidelser	:	1 x Mini-PCle (Half size), 1 x Mini-PCle (Full size, share with mSATA)
Watchdog	:	Yes
Weight	:	10kg
Dimensioner	:	477.3mm(W) x 82.4mm(D) x 301.2mm(H)

