

15.6" TFT Panel monitor 1000nits, 10-point PCAP
Touch, IP65 front, HDMI, VGA, Composite Video, 16:9
format

FEATURES

- 15.6" TFT LCD
- 16:9 format, 160° / 160° (H/V)
- 10 Point Capacitive Touch, (can be delivered without touch)
- 1000 Nits brightness suitable in strong light
- 4k30p, 1920x1080 resolution
- 1 x HDMI 1.4b (2150p, 24/25/30, 1080p 24/25/30/50/60)
- 1 x VGA input
- 1 x AV input
- Sound 3.5mm jack plug - 2ch 48KHz 24-bit
- 2 x Built-in speaker
- IP 65 front panel
- 408x259x36.5mm
- Vesa mount 75mm/100mm or panel mounting
- 2.9 Kg
- Working temperature -20°C~60°C
- Supply voltage DC 12-24V (≤24.5W (15V))



SPECIFICATIONS

Video	:	1
Operating Temp.	:	-20°C~60°C
Forsyning	:	DC in 12~24V
HDMI	:	1
IP-Tæthed	:	IP65
Kontrast	:	1000:1
Lyd	:	3.5mm - 2ch 48kHz 24-bit
Opløsning	:	1920x1080
VESA standard	:	70mm; 100mm
VGA	:	1
speaker	:	2
Nits	:	1000Nits



DANBIT

MON15-T-HB

SPECIFICATIONS

Dimensioner : 405x259x36.5mm (LWD)



Danbit A/S Værkstedvej 39 Køge, 4600 Denmark



+45 56662020



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.