

## Stand-alone LPR camera for license plate recognition IP67, 1080P PoE.

### FEATURES

#### **New model expected delivery in April 2025**

- Double-lane recognition
- Up to 30 fps at 1920 × 1080
- Standalone database / Log Export
- IR distance up to 22 m
- Day and Night function
- Digital I/O (1 in / 1 out)
- SD card slot for data
- Built-in heater and fan
- Recognize vehicles with speeds up to 100 km/h
- Powered via POE / 12VDC
- IP67 , Defog
- 31 languages on Web interface
- CE, FCC, UKCA, LVD, RoHS compliant



## SPECIFICATIONS

|              |   |                                                                                                                                              |
|--------------|---|----------------------------------------------------------------------------------------------------------------------------------------------|
| Digital I/O  | : | 1 In / 1 Out                                                                                                                                 |
| Video        | : | H.265, H.264, MJPEG                                                                                                                          |
| Andet        | : | Max car speed: 100 km/h (62 mph)                                                                                                             |
| Forsyning    | : | DC 12 V / PoE (IEEE 802.3bt)                                                                                                                 |
| Frekvens     | : | 60/50 fps at 1920 x 1080 (60/50 Hz)                                                                                                          |
| Hukommelse   | : | Micro SD card slot (SD/SDHC/SDXC/UHS-I, Class 10) * UHS-II card types not supported                                                          |
| Kanaler      | : | 3 stream channels                                                                                                                            |
| Lyd          | : | 1 In (microphone jack, 3.5 mm / 0.14") / 1 Out (phone jack, 3.5 mm / 0.14")                                                                  |
| Netværk      | : | 10/100/1000 Base-T Ethernet, RJ-45 connector                                                                                                 |
| Opløsning    | : | Up to 30 fps at 1920 x 1080                                                                                                                  |
| Protokol     | : | DHCP, DNS, DynDNS, FTP, HTTP, HTTPS, ICMP, IPv4, IPv6, Multicast, NTP, QoS (DSCP), RTCP, RTSP, SNMP, SMTP, SSL, TCP/IP, UDP, UPnP, 3GPP/ISMA |
| Strømforbrug | : | 45W max                                                                                                                                      |



## SPECIFICATIONS

Dimensioner : Ø86mm x 191 mm (Ø 3.4" x 7.5")

Certifications : CE, FCC, RCM, RoHS compliant

