

Fanless 12.1" Panel PC with flat front, Celeron 1.83GHz, RS232 / 422/485, 4GLTE, Touch, USB FEATURES

12.1 "Industrial Panel PC
Intel Celeron N2930 (1.83GHz), 4core, 4 Threds,
CPU built
Onboard 4GB DDR3L 1333MHz max. 8GB (optional)
Flat front panel
P-CAP Touch
Fanless Design
DC 9 ~ 36V wide-ranging Power Input
IP66 front
3x USB
1x DB9 (RS232 / 422/485), 1 x DB9 RS232.
Option: high brightness 1000 nits
Option: 4G LTE / Wi-Fi / BT expansion
Option: UPS built-
Option: Isolated RS232 / 485.



SPECIFICATIONS

CPU	:	Onboard Intel Celeron N2930 1.83Ghz
Storage	:	2½" Sata Bay for SATA HDD/SSD
USB	:	2xUSB 3.0 Type A, (optional 4xUSB contact sales)
Operating Temp.	:	0~50C
Andet	:	1000 nits LCD is OPTION!
bluetooth	:	OPTION! contact sales
Ethernet	:	2 x GbE LAN RJ-45
Forsyning	:	DC9~36V 1x3 pin DC terminal, 1x2PIN power on/off
Hukommelse	:	Onboard 4GB, Optional 8GB DDR3L 1333MHz
IP-Tæthed	:	Ip66 Compliant Front Bezel
Kontrast	:	1000:1
LCD	:	12.1" 800x600, Max. color 16.2M , 330cd/m2



SPECIFICATIONS

mPCIe	:	1x full size Mini-PCIe slot
Porte	:	1xDb9 RS-232/422/485 COM1, 1xRS232 DB9 OCM2
SIM kort	:	SIM card holder/Micro SD card Reader
Strømforbrug	:	Max. 15W
Synsfelt	:	178(H)/178(V)
WiFi/WLAN	:	OPTION! Contact sales
Weight	:	2.8Kg
Dimensioner	:	319x24x51.7 mm WxHxD

