


ATX motherboard, Intel 10th generation Xeon / Core I9 / I7 / I5 / I3 / Pentium / Celeron, LGA1200 FEATURES

- 10th Gen Intel® Core processors
- 4 DDR4 UDIMMs Up to 128 GB
- 1 x VGA, 1 x DP, 1 x HDMI
- 2 x Intel Gigabit Ethernet RJ45
- 4 x USB 3.2 Gen 2
- 2 x USB 3.2 Gen 1 (3.0)
- 6 x USB 2.0
- 4 x Internal RS232
- 1 x External RS232 / 422 / 485
- 4 x SATA III 6 Gb/s, RAID 0/1/5/10
- Supports 4K / 2K Resolution
- Expansion: 1 PCIe X16, 2 PCIE X4, 1 PCIE X1, 2 PCI,
- 2 M.2 m Key
- Size: ATX
- Option: TPM 2.0
- Operating temperature: -5 ~ +65°C



SPECIFICATIONS

CPU	:	Intel 10. generation Xeon / Core i9 / i7 / i5 / i3 / Pentium / Celeron, LGA1200
Video	:	1 x VGA, 1 x DP, 1 x HDMI
USB	:	4 x USB 3.2 Gen 2, 2 x USB 3.2 Gen 1 (3.0), 6 x USB 2.0
Operating Temp.	:	-5 ~ +65°C
Ethernet	:	2 x Intel Gigabit Ethernet RJ45
Formfaktor	:	ATX
Hukommelse	:	4 DDR4 UDIMM Op til 128 GB
M.2	:	2 x M.2 2242/2260/2280 M-key (PCIe Gen3 x4 NVMe/Intel® Optane Memory and intel RST support. 1 x NVME, 1 x NVME/SATA)
OS SUPPORT	:	Windows 10 IoT Enterprise 64-bit, Windows Server 2019, Linux
PCI	:	1 PCIe X16, 2 PCIe X4, 1 PCIe X1
PCI	:	2 PCI
Porte	:	4 x Internal RS232, 1 x External RS232 / 422 / 485





DANBIT

BK1200-ATX-GEN10

SPECIFICATIONS

Dimensioner : 305mm x 244mm



Danbit A/S Værkstedvej 39 Køge, 4600 Denmark



+45 56662020



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.