

MON21.5T-1000NITS

21.5" TFT 16: 9 Panel monitor 1000Nits, HDMI, VGA, Composite Video, 12-24Vdc, PCAP Touch 10 points, IP65 on the front

FEATURES

- 21.5" TFT 16:9
- Metal chassis
- Control panel is behind the front
- IP65 only on the front
- Resolution: 1920x1080
- 10-point PCAP Touch
- Nits 1000cd/m² high brightness
- Supports multiple video input interfaces: HDMI 1.4b, VGA, AV
- 2 speakers
- Supports HDMI 4K30p, 2160p 24/25/30, 1080p 24/25/30/50/60 Hz
- Supports Windows XP/7/8/8.1/10, Android, Linux and MAC OS (touch driver)
- Front frame dimensions: 556 x 344.5 mm
- Depth: 48.2 mm
- Cutout dimensions: 540 x 330 mm
- Mounting clip included
- 12-24VDC ($\leq 37W$ (15V)) - PSU included
- CANNOT STAND DIRECT SUNSHINE! (requires optical bonding)



SPECIFICATIONS

Operating Temp.	:	0~50°C
Betragtningsvinkel	:	178°/ 178°(H/V)
Forsyning	:	12-24Vdc, 37W (15v)
Grafik	:	HDMI 1.4b, VGA, AV
IP-Tæthed	:	IP65, Front ipx5, Dust IP6x
Kontrast	:	1000:1
Lyd	:	3.5mm - 2 ch 48Khz 24-bit
Opløsning	:	1920x1080, 2160p 24/25/30, 1080p 24/25/30/50/60, 1080i 50/60, 720p 50/60...
Skærm	:	23.8" 16:9
Touch	:	PCAP touch 10 point
speaker	:	2
Nits	:	1000





DANBIT

MON21.5T-1000NITS

SPECIFICATIONS

Dimensioner : 556x344.5x48.2mm



Danbit A/S Værkstedvej 39 Køge, 4600 Denmark



+45 56662020



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.