

Panel PC 15.6" Intel® N2930 Marine DNV approved FEATURES

- 15.6", 16 : 9 ratio
- Resolution: 1920 x 1080
- CPU: Intel® N2930
- Ram: 4GB (8GB option)
- 120GB SSD
- 3xRS232/485/422
- 2xUSB3.0, 2xUSB2.0
- Mounting: Panel mount, VESA 75x75
- Front: IP65 Back: IP22 (all side option)
- DC input: 9~32V
- Operating temp.: 0°C to +60°C
- DNVGL and IEC60945



SPECIFICATIONS

CPU	:	Intel® N2930 fanless Quad Core 2.16GHz CPU
Operating Temp.	:	0°C to +60°C
Forsyning	:	DC 9~32V
IP-Tæthed	:	Front IP65
LCD	:	15.6" Active Matrix TFT LCD
Lyd	:	Built-in 2 loud speakers
Lysstyrke	:	220 cd/m2 (option : 600~800nits & dimmable)
Montering	:	VESA75, Panel mount
Opløsning	:	1920 x 1080 (Full HD)
Porte	:	3xRS232/485/422, 2xUSB3.0, 2xUSB2.0
SSD	:	120GB SSD
Touch	:	15.6" 5-Wire Resistive Single Touch





DANBIT

IPP15.6DNV

SPECIFICATIONS



Danbit A/S Værkstedvej 39 Køge, 4600 Denmark



+45 56662020



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.