

24" TFT-LCD Sunlight Readable, Modular and Expandable Panel PC with 8th Gen. Intel® Core™ U Series Processor

FEATURES

- 24" TFT-LCD with Ultra-high Brightness up to 1,500 nits
- Resolution 1920 x 1080
- Onboard 8th Generation Intel® Core™ U Series Processor
- 2x DDR4 SO-DIMM Socket, Supports Up to 2400MHz, 64GB
- Supports Triple Independent Display
- Integrated USB 3.2 Gen 2 supports up to 10Gbps
- M.2 E Key Socket for Wireless Module or Intel CRF Module
- Supports Ignition Sensing Function (IGN) (with optional CFM module)
- Supports 2x PoE+ Function (with optional CFM module)
- 1x PCI or 1x PCIe Slot for Add-on Card Expansion: Max. Length 180mm including Bracket (with optional riser card)
- Wide Range Operating Temperature -20°C to 70°C
- Designed with Rugged Aluminum Die-casting Front Bezel
- True Flat IP65 Compliant Front Panel Protection
- Supports Panel / VESA / Rack Mounting



SPECIFICATIONS

CPU	:	i3,i5
Memory Type	:	DDR4
Max. Memory Capacity	:	64
Power Input	:	DC 9~48V
USB	:	3x USB 3.2 Gen2 (Type A) • 2x USB 2.0 (Type A)
Serial	:	4x RS-232/422/485 with Auto Flow Control (Supports 5V/12V), DB9
Operating Temp.	:	-20°C to 70°C (with Extended Temperature Peripherals; Ambient with Air Flow)
Antenne	:	4
Approval	:	CE, FCC, ICES-003 Class A
Ethernet	:	2x GbE LAN
Forsyning	:	9 -48Vdc
Grafik	:	VGA, DP



SPECIFICATIONS

Lyd	:	Realtek ALC888-GR
M.2	:	1x M.2 2230 E Key for Socket Wireless Module, Supports Intel CRF Module
mPCIe	:	2x Full-size Mini-PCIe Socket
OS SUPPORT	:	Windows 10
RAID niveau	:	Support RAID 0/1
SIM kort	:	1x Front Accessible SIM Socket
Skærm	:	24" Full HD TFT LCD 250 1920 x 1080 pixels
VESA standard	:	Panel / VESA / *Rack Mounting (*with optional mounting kit)
VGA	:	1
PCI Express	:	1x PCI or 1x PCIe x4 Expansion slot (with Optional Riser Card)
RAM	:	2 x DDR4 max 64GB RAM



SPECIFICATIONS

Antal Video Udgange	:	1
Antal LAN Porte	:	2
Antal USB	:	5
Antal Serial	:	4

