

MON15.6-1200-TFT

15.6 Sunlight Readable High Brightness LCD Monitor - 1920x1080, 1200 nits, Wide Temperature Range FHD Resolution

FEATURES

15.6 TFT LCD with LED Backlight
High brightness 1200 nits, sunlight readable
Resolution: 1920x1080, aspect ratio 16:9 FHD
resolution
MTBF: 100,000 hours
Viewing angle: 170° horizontal and vertical
Color contrast: 1200:1
Response time: 25ms
Supports HDMI, DVI-I and DP video interface
Mounting: VESA 75x75
Color saturation: 82% NTSC
Temperature range: -30°C to 70°C
Low power consumption, DC 12V input



SPECIFICATIONS

Operating Temp.	:	-30°C to 70°C
Antal farver	:	16.2M
Approval	:	CE, FCC
Forsyning	:	12VDC
Grafik	:	hdmi; DP
HDMI	:	1
Maks. opløsning	:	1920x1080
MTBF	:	100000 hours
OSD	:	Brightness, Color, Contrast, Auto Tuning, HV Position
Pixels	:	141
VESA standard	:	VESA 75x75
Nits	:	1200





DANBIT

MON15.6-1200-TFT

SPECIFICATIONS

brightness : 1200 cd/m²



Danbit A/S Værkstedvej 39 Køge, 4600 Denmark



+45 56662020



salg@danbit.dk

For business customers only (B2B). Prices exclude VAT. We reserve the right to correct errors and make changes.